Journal of Nuclear Medicine Technology
1982 Subject Index

An asterisk preceding a page number indicates an abstract of the Annual Meeting, appearing in the June issue.

Artifact
- Artifacts in single photon emission tomography*, 114
- Cold defect caused by pelvic pacemaker: importance of clinical correlation, 209
- Determining amount of hydrolyzed-reduced technetium: alternate method, 229 (le)
- Quality control in SPECT*, 114
- Technical artifacts in chromatographic analysis of Tc-99m radiopharmaceuticals, 15

Background
- Automatic interpolative background subtraction of thallium images: unique computer process*, 116
- Radiation exposure to the general public, 170

Blood
- Use of Cr-51 labeled samples of homologous packed red blood cells to predict acute transfusion reactions*, 110
- Xenon muscle blood flow—a practical methodology for gamma camera*, 111

Bone
- Bone marrow visualization with Tc-99m disofenin, 77
- Cold defect caused by pelvic pacemaker: importance of clinical correlation, 209
- Improved detection and localization of abnormal growth in mandible with computerized scintigraphy*, 111

Book review
- *Clinical Evaluation Methods Guide*, 176
- *Functional Mapping of Organ Systems and Other Computer Topics*, 45
- *Nuclear Medicine: An Introductory Text*, 107
- *Physics in Nuclear Medicine*, 45
- *The Evaluation of Medical Images, Medical Physics Handbooks 10*, 176

Camera, scintillation
- Clinical comparison of Tl-201 asymmetric and symmetric energy peaking on a microprocessed energy-corrected gamma camera*, 116
- Dynamic esophageal scintigraphy, 71
- Effects of uniformity correction in clinical situations*, 115
- Quality control in SPECT*, 114
- Recommendations for quality control of gamma cameras, 40
- Sensitivity comparison of digital to analog camera: is single crystal digital camera more efficient?*, 115
- Xenon muscle blood flow—a practical methodology for gamma camera*, 111

1-Carbon-14 gluconate
- Radiometric microbiologic and competitive protein binding radioassay for plasma and red blood cell folate*, 109

Chromatography
- Adaptation of Anger camera for chromatographic quality control of nuclide binding afinity*, 110
- Determining amount of hydrolyzed-reduced technetium: alternate method, 229 (le)
- Organic solvent chromatography of radioactive sodium pertechnetate, 20
- Technical artifacts in chromatographic analysis of Tc-99m radiopharmaceuticals, 15

Chromium-51
- Use of Cr-51 labeled samples of homologous packed red blood cells to predict acute transfusion reactions*, 110

Clinical evaluation
- Dynamic esophageal scintigraphy, 71
- Performance and responsibility standards for the nuclear medicine technologist, 163

Clinical evaluation and interpretation
- Cold defect caused by pelvic pacemaker: importance of clinical correlation, 209

Compensation
- Regarding: where have nuclear medicine technologists gone? 44 (le)

Competitive protein binding radioassay
- Radiometric microbiologic and competitive protein binding radioassay for plasma and red blood cell folate*, 109

Computer
- Absolute left ventricular volume from gated blood pool imaging using esophageal transmission measurement*, 116
- Adaptation of Anger camera for chromatographic quality control of nuclide binding afinity*, 110
- Applications of low cost desktop computers in radiopharmaceutical production and testing*, 111
- Automatic interpolative background subtraction of thallium images: unique computer process*, 116
- Basic principles and techniques of nuclear magnetic resonance*, 115
- Comparison of quantitative Tl-201 myocardial imaging programs*, 116
- Dynamic esophageal scintigraphy, 71
- Effects of uniformity correction in clinical situations*, 115
- Extending quantitation of Tl-201 myocardial scintigraphy to assess reversibility of perfusion defects*, 116
- Improved detection and localization of abnormal growth in mandible with computerized scintigraphy*, 111
- Method for assessment of Tl-201 redistribution in myocardium*, 117
- Quality assurance in scheduling nuclear medicine examinations, 28
- Technologist-oriented approach to data base management in nuclear medicine*, 115
- Thallium redistribution in serial studies of the myocardium: observations based upon quantitative analysis of circumferential mapping, thallium T-zero, and derivative image analysis*, 117
- To all interested technologists, 229 (le)

Data processing
- Absolute left ventricular volume from gated blood pool imaging using esophageal transmission measurement*, 116
- Adaptation of Anger camera for chromatographic quality control of nuclide binding afinity*, 110
- Applications of low cost desktop computers in radiopharmaceutical production and testing*, 111
- Automatic interpolative background subtraction of thallium images: unique computer process*, 116
- Basic principles and techniques of nuclear magnetic resonance*, 115
- Dynamic esophageal scintigraphy, 71
- Quality control in SPECT*, 114
- Technologist-oriented approach to data base management in nuclear medicine*, 115
- Thallium redistribution in serial studies of the myocardium: observations based upon quantitative analysis of circumferential mapping, thallium T-zero, and derivative image analysis*, 117

Departmental operations
- Management in nuclear medicine technology seen through transactional analysis*, 113
- Managing for results—an overview, 25
- Managing for results in health care—setting goals and achieving results, 63
- Managing time for results, 137
- One year's experience utilizing a commercial radiopharmacy*, 114
- Our communication style with physicians—helping or hindering?*, 113
- Performance and responsibility standards for the nuclear medicine technologist, 163
- Quality assurance in scheduling nuclear medicine examinations, 28
- Regarding: where have nuclear medicine technologists gone? 44 (le)
- Should technologists perform RIA tests or let labs take over?*, 113
- Technologist-oriented approach to data base management in nuclear medicine*, 115
- Troubleshooting nuclear medicine instrumentation problems, 144

Display, color
- Basic principles and techniques of nuclear magnetic resonance*, 115
- Thallium redistribution in serial studies of the myocardium: observations based upon quantitative analysis of circumferential mapping, thallium T-zero, and derivative image analysis*, 117

Donor units
- Use of Cr-51 labeled samples of homologous packed red blood cells to predict acute transfusion reactions*, 110

Dose calibration
- Applications of low cost desktop computers in radiopharmaceutical production and testing*, 111
- Calibration, chromatography, and floods, 85
- Experimental dispensing system for withdrawal, preparation, and assay of Tc-99m radiopharmaceuticals, 197
- Frequent sequential first pass radionuclide ventriculography: is dose eluted every three minutes from Au-195m generator reproducible?*, 109

Editorial
- One for the road . . . 195
- The Journal's quality controllers, 14
- The new Journal editor. . . 135

Education
- Ethics and medical uses of radiation, 79

Management in nuclear medicine technology seen through transactional analysis*, 113
Managing for results—an overview, 25
Managing for results in health care—setting goals and achieving results, 63
Managing time for results, 137
NMTCB certification examination validation report, 210
Nuclear medicine technology programs accredited by the Joint Review Committee, 90
Our communication style with physicians—helping or hindering?*, 113
Performance and responsibility standards for the nuclear medicine technologist, 163
Should technologists perform RIA tests or let labs take over?*, 113
To all interested technologists, 229 (le)
Variety is the spice of life*, 113

Education, continuing
Continuing education and true professionalism, 42

Endocrinology
Bioavailability of p,5n sodium iodide I-123 formulations*, 110

Ethics
Ethics and medical uses of radiation, 79

Flood field
Calibration, chromatography, and floods, 85
Sensitivity comparison of digital to analog camera: is single crystal digital camera more efficient?*, 115

Flood field images
Effects of uniformity correction in clinical situations*, 115

Gallium-68
Preparation of Ga-68-labeled proteins, potentially useful positron-emitting radiopharmaceuticals*, 110

Gastrointestinal tract
In search of a practical solid phase marker—in vitro model*, 109
Simultaneous assessment of gastroesophageal reflux by scintigraphy and esophageal pH probe*, 112
Use of Cr-51 sodium chromate in detecting GI-GU fistulae*, 112

Generator
Frequent sequential first pass radionuclide ventriculography: is dose eluted every three minutes from Au-195m generator reproducible?*, 109

Heart
Absolute left ventricular volume from gated blood pool imaging using esophageal transmission measurement*, 116
Assessment of right ventricular function with intravenous Kr-81m*, 117
Automatic interpolative background subtraction of thallium images: unique computer process*, 116
Basic principles and techniques of nuclear magnetic resonance*, 115
Comparison of quantitative Tl-201 myocardial imaging programs*, 116
Extending quantitation of Tl-201 myocardial scintigraphy to assess reversibility of perfusion defects*, 116
External jugular vein as injection site in radionuclide angiography, 75
Importance of visual nonperfusion abnormalities on Tl-201 myocardial scintigraphy*, 117
Thallium redistribution in serial studies of the myocardium: observations based upon quantitative analysis of circumferential mapping, thallium T-zero, and derivative image analysis*, 117
To all interested technologists, 229 (le)

Hepatobiliary system
Bone marrow visualization with Tc-99m disofenin, 77

Imaging
Position to delineate pelvic radionuclide uptake, 33
Sizing pinhole thyroid image, 207

Indium-111
In search of a practical solid phase marker—in vitro model*, 109

Instrumentation
Applications of low cost desktop computers in radiopharmaceutical production and testing*, 111
Clinical comparison of Tl-201 asymmetric and symmetric energy peaking on a microprocessed energy-corrected gamma camera*, 116
Maximizing quality of emission computed tomographic images*, 115
Recommendations for quality control of gamma cameras, 40
Technical consideration of the GE 400T single emission tomography system*, 114
Troubleshooting nuclear medicine instrumentation problems, 144

Interventional studies
Intraoperative scintigraphic procedures: problems and solutions*, 112

Intraoperative scintigraphic procedures
Intraoperative scintigraphic procedures: problems and solutions*, 112

Iodine-123
Bioavailability of p,5n sodium iodide I-123 formulations*, 110

Iodine-125
Deiodination and solidification of radioassay waste, 36

Iodine-131
Dosimetric considerations while attending hospitalized I-131 therapy patients, 157
Guidelines for patients at home following treatment with radioiodine*, 112
Reducing radiation exposure during oral I-131 therapy administration, 151

Iodine uptake
Bioavailability of p,5n sodium iodide I-123 formulations*, 110

Krypton-81m
Assessment of right ventricular function with intravenous Kr-81m*, 117

Licensing
Performance and responsibility standards for the nuclear medicine technologist, 163
Put your money where your mouth is, 86

Liver
Basic principles and techniques of nuclear magnetic resonance*, 115
Intraoperative scintigraphic procedures: problems and solutions*, 112

Lung
Radionuclide venography*, 112
Safety and effectiveness considerations with particulate lung scanning agents, 223

Lung scanning toxicity
Safety and effectiveness considerations with particulate lung scanning agents, 223

Management
Managing for results—an overview, 25
Managing for results in health care—setting goals and achieving results, 63
Managing time for results, 137

NMTCB exam, task analysis
NMTCB certification examination validation report, 210

Nuclear magnetic resonance
Basic principles and techniques of nuclear magnetic resonance*, 115

Nuclear Medicine Technology Certification Board
NMTCB certification examination validation report, 210
Performance and responsibility standards for the nuclear medicine technologist, 163
Put your money where your mouth is, 86

Nuclear medicine technology degree and certification programs
Variety is the spice of life*, 113

Patient care
Ethics and medical uses of radiation, 79

Patient communications
Guidelines for patients at home following treatment with radioiodine*, 112
Quality assurance in scheduling nuclear medicine examinations, 28
Scheduling problems in diagnostic imaging, 175 (le)

Patient position
Position to delineate pelvic radionuclide uptake, 33

Patient scheduling
Scheduling problems in diagnostic imaging, 175 (le)

Pay scale, nuclear medicine technology
Regarding: where have nuclear medicine technologists gone? 44 (le)

Pediatrics
Simultaneous assessment of gastroesophageal reflux by scintigraphy and esophageal pH probe*, 112

Phantom
Recommendations for quality control of gamma cameras, 40

Phantom design and application
Design and application of whole body phantom for single photon emission tomography*, 114

Plasma folate
Radiometric microbiologic and competitive protein binding radioassay for plasma and red blood cell folate*, 109

Positron-emitting radiopharmaceuticals
Preparation of Ga-68-labeled proteins, potentially useful positron-emitting radiopharmaceuticals*, 110

Professionalism
Continuing education and true professionalism, 42

Pulse height analysis
Clinical comparison of Tl-201 asymmetric and symmetric energy peaking on a microprocessed energy-corrected gamma camera*, 116
Sensitivity comparison of digital to analog camera: is single crystal digital camera more efficient?*, 115

Quality care
Scheduling problems in diagnostic imaging, 175 (le)

Quality control
Adaptation of Anger camera for chromatographic quality control of nuclide binding afinity*, 110
Applications of low cost desktop computers in radiopharmaceutical production and testing*, 111
Bone marrow visualization with Tc-99m disofenin, 77
Calibration, chromatography, and floods, 85
Determination of stannous ion content of radiopharmaceutical kits using N-bromosuccinimide, 161
Determining amount of hydrolyzed-reduced technetium: alternate method, 229 (le)
Determining amount of hydrolyzed-reduced technetium (reply), 229 (le)
Frequent sequential first pass radionuclide ventriculography: is dose eluted every three minutes from Au-195m generator reproducible?*, 109
Instant radiopharmaceutical identification by simple colorimetric assay*, 111
Maximizing quality of emission computed tomographic images*, 115
New technique for measurement of carrier thallium, 205
Organic solvent chromatography of radioactive sodium pertechnetate, 20
Quality assurance in scheduling nuclear medicine examinations, 28
Quality control in SPECT*, 114
Radiochemical evaluation of commercial Tc-99m hydroxymethylene diphosphonate*, 111
Recommendations for quality control of gamma cameras, 40
Should technologists perform RIA tests or let labs take over?*, 113
Technical artifacts in chromatographic analysis of Tc-99m radiopharmaceuticals, 15

Technical consideration of the GE 400T single emission tomography system*, 114
Troubleshooting nuclear medicine instrumentation problems, 144
Radiation exposure
Radiation exposure to the general public, 170
Radiation safety
Deiodination and solidification of radioassay waste, 36
Dosimetric considerations while attending hospitalized I-131 therapy patients, 157
Ethics and medical uses of radiation, 79
Experimental dispensing system for withdrawal, preparation, and assay of Tc-99m radiopharmaceuticals, 197
Guidelines for patients at home following treatment with radioiodine*, 112
Instant radiopharmaceutical identification by simple colorimetric assay*, 111
Reducing radiation exposure during oral I-131 therapy administration, 151
Radiation therapy
Guidelines for patients at home following treatment with radioiodine*, 112
Radioactive waste disposal
Deiodination and solidification of radioassay waste, 36
Radioassay
Deiodination and solidification of radioassay waste, 36
Should technologists perform RIA tests or let labs take over?*, 113
Radioimmunoassay
Should technologists perform RIA tests or let labs take over?*, 113
Radiometric microbiologic assay
Radiometric microbiologic and competitive protein binding radioassay for plasma and red blood cell folate*, 109
Radiopharmacy
Adaptation of Anger camera for chromatographic quality control of nuclide binding afinity*, 110
Bone marrow visualization with Tc-99m disofenin, 77
Calibration, chromatography, and floods, 85
Determination of stannous ion content of radiopharmaceutical kits using N-bromosuccinimide, 161
Determining amount of hydrolyzed-reduced technetium (reply), 229 (le)
Experimental dispensing system for withdrawal, preparation, and assay of Tc-99m radiopharmaceuticals, 197
Frequent sequential first pass radionuclide ventriculography: is dose eluted every three minutes from Au-195m generator reproducible?*, 109
Hydrolyzed-reduced Tc-99m determinations in Tc-99m pyrophosphate*, 110
In search of a practical solid phase marker—in vitro model*, 109
Instant radiopharmaceutical identification by simple colorimetric assay*, 111
New technique for measurement of carrier thallium, 205
Organic solvent chromatography of radioactive sodium pertechnetate, 20
Radiochemical evaluation of commercial Tc-99m hydroxymethylene diphosphonate*, 111
Should technologists support commercial centralized radiopharmacies?*, 113
Technical artifacts in chromatographic analysis of Tc-99m radiopharmaceuticals, 15
Radiopharmacy, commercial
One year's experience utilizing a commercial radiopharmacy*, 114
Recruitment
Recruitment into nuclear medicine technology schools, 107 (le)
Red blood cell folate
Radiometric microbiologic and competitive protein binding radioassay for plasma and red blood cell folate*, 109
Red blood cells
Use of Cr-51 labeled samples of homologous packed red blood cells to predict acute transfusion reactions*, 110
Resolution
Recommendations for quality control of gamma cameras, 40
Shielding
Experimental dispensing system for withdrawal, preparation, and assay of Tc-99m radiopharmaceuticals, 197
Stannous ion
Determination of stannous ion content of radiopharmaceutical kits using N-bromosuccinimide, 161
Technetium-99m
Organic solvent chromatography of radioactive sodium pertechnetate, 20
Position to delineate pelvic radionuclide uptake, 33
Technetium-99m-disofenin
Determining amount of hydrolyzed-reduced technetium: alternate method, 229 (le)
Determining amount of hydrolyzed-reduced technetium (reply), 229 (le)
Technetium-99m-dispensing system
Experimental dispensing system for withdrawal, preparation, and assay of Tc-99m radiopharmaceuticals, 197
Technetium-99m-HAM
Safety and effectiveness considerations with particulate lung scanning agents, 223
Technetium-99m-HDP;PYP
Hydrolyzed-reduced Tc-99m determinations in Tc-99m pyrophosphate*, 110
Technetium-99m-macroaggregated albumin
In search of a practical solid phase marker—in vitro model*, 109
Safety and effectiveness considerations with particulate lung scanning agents, 223
Technetium-99m radiopharmaceuticals
Technical artifacts in chromatographic analysis of Tc-99m radiopharmaceuticals, 15
Technetium-99m-sulfur colloid
Dynamic esophageal scintigraphy, 71
Thallium-201
Automatic interpolative background subtraction of thallium images: unique computer process*, 116
Clinical comparison of Tl-201 asymmetric and symmetric energy peaking on a microprocessed energy-corrected gamma camera*, 116
Comparison of quantitative Tl-201 myocardial imaging programs*, 116
Extending quantitation of Tl-201 myocardial scintigraphy to assess reversibility of perfusion defects*, 116
Importance of visual nonperfusion abnormalities on Tl-201 myocardial scintigraphy*, 117
Method for assessment of Tl-201 redistribution in myocardium*, 117
New technique for measurement of carrier thallium, 205
Thallium redistribution in serial studies of the myocardium: observations based upon quantitative analysis of circumferential mapping, thallium T-zero, and derivative image analysis*, 117
Therapy
Dosimetric considerations while attending hospitalized I-131 therapy patients, 157
Reducing radiation exposure during oral I-131 therapy administration, 151
Thrombus
Radionuclide venography*, 112
Thyroid
Bioavailability of p,5n sodium iodide I-123 formulations*, 110
Reducing radiation exposure during oral I-131 therapy administration, 151
Sizing pinhole thyroid image, 207
Tomography
Design and application of whole body phantom for single photon emission tomography*, 114
Tomography, emission computed
Maximizing quality of emission computed tomographic images*, 115
Tomography, radionuclide
Artifacts in single photon emission tomography*, 114
Quality control in SPECT*, 114
Technical consideration of the GE 400T single emission tomography system*, 114
Transfusion survival
Use of Cr-51 labeled samples of homologous packed red blood cells to predict acute transfusion reactions*, 110
Urinary tract
Use of Cr-51 sodium chromate in detecting GI-GU fistulae*, 112
Vascular system
Absolute left ventricular volume from gated blood pool imaging using esophageal transmission measurement*, 116
External jugular vein as injection site in radionuclide angiography, 75
Radionuclide venography*, 112
Xenon muscle blood flow—a practical methodology for gamma camera*, 111
Venography
Radionuclide venography*, 112
Xenon-133
Xenon muscle blood flow—a practical methodology for gamma camera*, 111

Journal of Nuclear Medicine Technology
1982 Author Index

Abdulla, A, 116
Adams, MR, 113
Aden, MD, 144
Alexander, GW, Jr, 86
Applegate, G, 71
Areeda, J, 116

Beh, RA, 157
Berman, D, 116
Blasius, KM, 116
Blue, PW, 207
Botvinick, E, 117
Boyd, MR, 113, 116
Bozik, DA, 112
Bratke, J, 107
Brown, ML, 109
Brown, TF, 112
Brundage, B, 117
Bushberg, JT, 111

Cahill, PT, 115
Camargo, EE, 109, 117
Canhasi, B, 117
Carr, JR, 207
Castronovo, FP, Jr, 157
Celio, PV, 117
Cianci, ML, 115
Cisneros, GJ, 111
Clinthorne, NH, 114
Cloutet, W, 20
Cochavi, S, 114
Coleman, RE, 114
Cool, A, 114
Costen, K, 115
Cowherd, C, 77
Cradduck, TD, 45, 176
Creekmore, JR, 15
Croft, BY, 115
Cronenwett, J, 111
Curtis, RF, 116
Custer, TR, 36

Davis, R, 111, 112
Dawry, FP, 229
DeLaney, M, 114
DeVegvar, M-L, 71
Dewanjee, MK, 109
Dibos, PE, 109, 112
Dunn, WL, 110
Dunnington, WS, 25, 63, 137
Dworkin, HJ, 110
Dyer, SM, 115

Edwards, CC, 115
Ellis, MC, 116
Engin, IS, 109

Fain, JW, 109, 113, 115
Faulkner, D, 117
Fernandez-Ulloa, M, 144
Fisher, RS, 71
Frey, GD, 116

Gallamore, GD, 107
Garcia, E, 115, 116
Garrison, GM, 109
Giga, J-HL, 33
Goldsmith, SJ, 114
Goldstein, HA, 45
Gordon, L, 116
Grassley, D, 111
Greer, KL, 114
Guilarte, TR, 109

Harkness, BA, 114
Heinen, CR, 112
Hendrix, G, 116
Hibbard, WM, 79
Hierl, MJ, 25, 63, 137
Hine, GJ, 40
Hinkle, KM, 175
Hoffer, PB, 111
Honeyman, JC, 115
Honig, DL, 112
Hopkins, KT, 110
Hughes, JA, 144
Humphrey, S, 75

Janikowski, J, 209
Jansholt, A-L, 36
Jaszczak, RJ, 114
Jimenez, T, 33
Johnson, DL, 110, 116, 117
Johnson, ML, 114
Joint Review Committee on Nuclear Medicine Technology Training Programs, 90
Juni, J, 117

Kaban, LB, 111
Kamer, K, 197
Kasecamp, B, 109
Kavula, MP, Jr, 77, 229
Kay, TD, 110, 116, 117
Keyes, JW, Jr, 114
Klemm, RC, 111
Koller, D, 117
Kowalsky, RJ, 15, 223
Krinsky, S, 151, 197
Krohn, KA, 36

Leguizamon, E, 75
Lerner, MS, 85, 115
Lobred, SK, 33
Luger, RL, 112

Maddahi, J, 116
Majewski, W, 110, 111
Malagelada, J-R, 109
Malmud, LS, 71, 116
Massie, JD, 77
Maurer, AH, 116
Mayer, WJ, 229
McElvany, KD, 110
McGranahan, GM, Jr, 116, 117
McKamey, MR, 111
Mena, I, 109, 115

Nelson, TR, 114
Neufeld, GK, 116, 117
Nuclear Medicine Technology Certification Board, 210

O'Connell, W, 117

Park, BJ, 112
Patel, BM, 112
Perkins, GC, 114
Ponto, JA, 170
Porter, DV, 110
Porter, WC, 44
Ports, T, 117

Raabe, RD, 209
Rasmussen, D, 109, 115
Reilley, JJ, 71, 116
Riahi, SJ, 110, 116, 117
Ricciardone, M, 116
Robbins, PS, 116
Rogers, WL, 114
Romo, D, 110, 116, 117
Rozanski, A, 116

Senecal, JA, 110
Shelton, J, 75
Siegel, JA, 116
Singer, D, 111
Slater, R, 117
Smith, B, 112
Smith, JB, 116
Socio-Economic Affairs Committe, Technologist Section, Society of Nuclear Medicine, 163
Soloway, HB, 42
Spicer, KM, 116
Spies, SM, 110, 111
Study, KT, 161, 205
Sweeney, L, 110

Tarcan, Y, 77
Teague, E, 151, 197
Thomforde, GM, 109
Thompson, ME, 110, 116, 117
Thompson, W, 113
Thrall, J, 111, 117
Travis, ZH, 116
Treves, S, 111, 112
Trujillo, J, 151, 197
Tsen, O, 115
Tuscan, M, 111, 117

Van Train, K, 116
Veilleux, NM, 157

Wagner, HN, Jr, 109, 117
Wahner, HW, 110
Waud, JM, 109
Waxman, A, 116
Weber, J, 114
Weigand, P, 14, 135, 176, 195
Weiss, LW, 110
Welch, MJ, 110
Wells, LD, 28
Wilson, B, 151, 197
Winter, DS, 114
Winter, H, 112
Wollum, P, 75
Wong, D, 117
Woodrum, CE, 113

Young, G, 197

Zimmer, AM, 110, 111